

Percentage of Susceptible Organism from Hemoculture (1 January 2020-31 December 2020)

No.	Organism Name	Total isolation	Amikacin	Amoxicillin/Cla	Ampicillin	Cefazolin	Cefoperazone/Su	Cefoxitin	Ceftriaxone	Cefuroxime	Ciprofloxacin	Clindamycin	Ertapenem	Erythromycin	Gentamicin	Imipenem	Levofloxacin	Meropenem	Oxacillin	Piperacil/Tazob
1	<i>Escherichia coli</i>	210	98 (129)	84 (129)	18 (129)	47 (127)	94 (129)	95 (129)	71 (129)	69 (129)	59 (129)		97 (129)		73 (129)	96 (108)		97 (129)		93 (129)
2	Staphylococcus Coagulase-negative	100									77 (69)	62 (73)		71 (73)	84 (69)		80 (69)		63 (73)	
3	Gram Positive Bacilli (Unidentified)	60																		
4	<i>Klebsiella pneumoniae</i>	28																		
5	<i>Streptococcus gallolyticus ssp pasteurianus</i>	16																		
6	<i>Streptococcus suis</i>	15																		
7	Group B beta-hemolytic Streptococci	14																		
8	<i>Enterococcus faecalis</i>	12																		
9	Alpha-hemolytic Streptococci	12																		
10	<i>Staphylococcus aureus</i>	11																		

Calculated from fewer than the CLSI document M39 recommendation of 30 isolates

Percentage of Susceptible Organism from Sputum (1 January 2020-31 December 2020)

No.	Organism Name	Total isolation	Amikacin	Amoxicillin/Cla	Ampicillin	Cefazolin	Cefoperazone/Su	Cefotaxime	Cefoxitin	Ceftazidime	Ceftriaxone	Cefuroxime	Ciprofloxacin	Ertapenem	Gentamicin	Imipenem	Levofloxacin	Meropenem	Piperacil/Tazob
1	<i>Pseudomonas aeruginosa</i>	66	94 (65)							94 (66)			95 (66)		94 (66)	86 (57)	86 (63)	84 (64)	95 (65)
2	<i>Acinetobacter baumannii</i>	64	38 (64)					0 (63)		25 (64)	0 (63)		27 (64)		30 (64)	24 (59)		27 (64)	27 (64)
3	<i>Klebsiella pneumoniae</i>	64	94 (64)	61 (64)	R	39 (61)	67 (64)		84 (63)		52 (64)	50 (64)	47 (64)	83 (64)	91 (64)	83 (54)		83 (64)	70 (64)
4	<i>Stenotrophomonas maltophilia</i>	20																	
5	<i>Staphylococcus aureus</i>	16																	

Calculated from fewer than the CLSI document M39 recommendation of 30 isolates

Percentage of Susceptible Organism from Urine (1 January 2020-31 December 2020)

No.	Organism Name	Total isolation	Amikacin	Amoxicillin/Cla	Ampicillin	Cefazolin	Cefoperazone/Su	Cefoxitin	Ceftriaxone	Cefuroxime	Ciprofloxacin	Ertapenem	Gentamicin	Imipenem	Levofloxacin	Meropenem	Penicillin	Piperacil/Tazob	Vancomycin
1	<i>Escherichia coli</i>	106	97 (106)	66 (106)	12 (106)	40 (102)	79 (106)	83 (105)	42 (106)	40 (106)	27 (106)	93 (106)	56 (106)	93 (89)		93 (106)		85 (106)	
2	<i>Enterococcus faecalis</i>	36			92 (36)						31 (36)		44 (36)		33 (36)		58 (36)		100 (36)
3	<i>Klebsiella pneumoniae</i>	21																	
4	<i>Enterococcus faecium</i>	18																	
5	<i>Pseudomonas aeruginosa</i>	12																	

Calculated from fewer than the CLSI document M39 recommendation of 30 isolates

Percentage of Susceptible Organism from Pus (1 January 2020-31 December 2020)

No.	Organism Name	Total isolation	Amikacin	Amoxicillin/Cla	Ampicillin	Cefazolin	Cefoperazone/Su	Cefoxitin	Ceftazidime	Ceftriaxone	Cefuroxime	Ciprofloxacin	Clindamycin	Ertapenem	Erythromycin	Gentamicin	Levofloxacin	Meropenem	Oxacillin	Piperacil/Tazob
1	<i>Staphylococcus aureus</i>	65										98 (61)	89 (65)		91 (65)	98 (60)	98 (58)		95 (65)	
2	<i>Escherichia coli</i>	32	94 (31)	69 (32)	9 (32)	26 (31)	81 (31)	81 (32)		50 (32)	50 (30)	50 (32)		97 (31)		72 (32)		97 (31)		94 (31)
3	<i>Pseudomonas aeruginosa</i>	32	100 (32)						94 (32)			97 (32)				97 (32)	94 (32)	97 (32)		94 (32)
4	<i>Acinetobacter baumannii</i>	23																		
5	<i>Klebsiella pneumoniae</i>	18																		
7	<i>Proteus mirabilis</i>	18																		
8	Group A beta-hemolytic Streptococci	17																		
9	<i>Enterococcus faecalis</i>	11																		
10	<i>Enterobacter species</i>	10																		

Calculated from fewer than the CLSI document M39 recommendation of 30 isolates

Percentage of Susceptible Organism from All Specimen (1 January 2020-31 December 2020)

No.	Organism Name	Total Isolation	Amikacin	Amoxicillin/Cla	Ampicillin	Cefazolin	Cefoperazone/Su	Cefotaxime	Cefoxitin	Ceftazidime	Ceftriaxone	Cefuroxime	Ciprofloxacin	Clindamycin	Ertapenem	Erythromycin	Gentamicin	Imipenem	Levofloxacin	Meropenem	Oxacillin	Penicillin	Piperacil/Tazob	Vancomycin
1	<i>Escherichia coli</i>	342	97 (259)	76 (261)	15 (261)	40 (254)	88 (259)		89 (260)		56 (261)	55 (258)	45 (261)		96 (259)		67 (261)	96 (219)		96 (259)			91 (259)	
2	<i>Klebsiella pneumoniae</i>	158	95 (133)	68 (135)	R	57 (130)	76 (133)		83 (133)		65 (134)	63 (132)	57 (135)		85 (132)		90 (135)	86 (116)		85 (133)			76 (133)	
3	<i>Pseudomonas aeruginosa</i>	116	94 (112)							92 (113)			93 (113)				93 (113)	89 (98)	87 (109)	88 (111)			94 (112)	
4	<i>Acinetobacter baumannii</i>	97	48 (94)					1 (91)		33 (93)	2 (91)		35 (95)				40 (95)	33 (86)		34 (94)			34 (93)	
5	Staphylococcus Coagulase-negative	97											77 (83)	61 (87)		71 (87)	83 (83)		80 (82)		61 (87)			
6	<i>Staphylococcus aureus</i>	94											99 (85)	90 (91)		90 (91)	98 (84)		99 (81)		95 (91)			
7	<i>Enterococcus faecalis</i>	62			93 (59)								31 (35)				54 (59)		34 (35)			64 (59)		98 (59)
8	Gram Positive Bacilli (Unidentified)	60																						
9	<i>Proteus mirabilis</i>	40	100 (36)	92 (36)	64 (36)	73 (33)	97 (36)		97 (35)		92 (36)	89 (35)	83 (36)		100 (36)		89 (36)	100 (33)		100 (36)			100 (36)	
10	<i>Stenotrophomonas maltophilia</i>	29																						

Calculated from fewer than the CLSI document M39 recommendation of 30 isolates